Section

University of Alaska Anchorage	Section
,	EHS/RM
ADMINISTRATIVE SERVICES MANUAL	Program No.
EHS/RM Programs	Page
	4
Title	Effective Date
Battery Handling and Storage	05/24/2021

or death:

Ergonomic hazards associated with the weight and handling of batteries.

Electrical Shock.

Production of Hydrogen Gas during charging.

University of Alaska Anchorage Section EHS/RM

University of Alaska Anchorage	Section EHS/RM
ADMINISTRATIVE SERVICES MANUAL	Program No.
EHS/RM Programs	Page
	6

University of Alaska Anchorage	Section
, o	EHS/RM
ADMINISTRATIVE SERVICES MANUAL	Program No.
EHS/RM Programs	Page
G	7
Title	Effective Date
Battery Handling and Storage	05/24/2021

or a rough cloth before you replace batteries

Remove alkaline batteries from a device when it is not expected to be in used for several months

If an alkaline battery is leaking, or has white powder or crystals:

- o Batteries should be removed with chemical gloves and safety glasses
- O Batteries should be placed in a plastic bag, and can be disposed of in the normal trash
- o Equipment with residue can be cleaned with a vinegar and water
- o Always wash hands after handling leaking alkaline batteries

Nickel---Cadmium (NiCad) Batteries

Cadmium used in nickel-cadmium batteries is considered more harmful than lead if ingested or absorbed through the skin.

Most NiCad batteries are sealed and are safe to handle under normal circumstances.

University of Alaska Anchorage	Section
,	EHS/RM
ADMINISTRATIVE SERVICES MANUAL	Program No.
EHS/RM Programs	Page
G	8

Title

University of Alaska Anchorage	Section
, o	EHS/RM
ADMINISTRATIVE SERVICES MANUAL	Program No.
EHS/RM Programs	Page
o	9
Title	Effective Date
Battery Handling and Storage	05/24/2021

University of Alaska Anchorage	Section	
,	EHS/RM	
ADMINISTRATIVE SERVICES MANUAL	Program No.	
EHS/RM Programs	Page	
	11	
Title	Effective Date	
Battery Handling and Storage	05/24/2021	

14. Revision History

Revision Number	Date Revised	Description of Change	Revised By	Approved By
0	05/24/2021	Initial Issue		
1				
2				
3				